SAFETY DATA SHEET

Page 1 of 6

WBC5048-1 SOFT FEEL COATING

Nicoat*

Revision Date: 4-Apr-2018



1: IDENTIFICATION

Product Name:

WBC5048-1 SOFT FEEL COATING

Product Code:

WBC5048-1

Recommended Use:

For use in industrial installations only

Manufacturer:

ICP Industrial

1600 Glenlake Avenue

Itasca, IL 60143

website: www.icpindustrial.com e-mail: regulatory@icpindustrial.com

Tel. 01-630-860-7070 Fax. 01-630-228-8715

Emergency Number:

Tel. 01-630-860-7070

2: HAZARD(S) IDENTIFICATION

Physical Hazard Classification:

This product has no physical hazard classification according to the Globally

Harmonized System (GHS).

Health hazard classifications:

Acute Toxicity, Oral (Category 4) Skin Corrosion/Irritation (Category 2) Eye Damage/Irritation (Category 2A) Acute Toxicity, Inhalation (Category 4)

Environmental Hazard Classification:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Other Hazard(s):

Irritating to eyes, skin and respiratory system. Primary routes of exposure are eye

contact, skin contact, inhalation and ingestion.

Signal Word:

Warning



Hazard Statements

H302: Harmful if swallowed

H319: Causes serious eye irritation

Precautionary Statements

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P270: Do no eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P330: Rinse mouth.

P337+P313: If eye irritation persists: Get medical advice/attention.

P501: Dispose of contents/container in accordance with all local/regional/national/international regulations.

H315: Causes skin irritation H332: Harmful if inhaled

P264: Wash skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P301+P312: IF SWALLOWED: Call a POISON CENTER or

doctor/physician if you feel unwell.

P304+P340: IF INHALED: Remove victim to fresh air and keep at

rest in a position comfortable for breathing.

P312: Call a POISON CENTER or doctor / physician if you still

feel unwell.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.



Nicoat[®]



Olean

........

3: COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS Number	Wt %	Class
Water	7732-18-5	55.0 - 60.0	Non-Hazard
Dipropylene Glycol Methyl Ether (Glycol Ether DPM)	34590-94-8	0.5 - 1.0	
Butoxytriglycol	143-22-6	0.1 - 0.5	
Triethylamine	121-44-8	0.1 - 0.5	
Ammonium Hydroxide	1336-21-6	0.1 - 0.5	

4: FIRST AID MEASURES

Description of first aid measures:

Eye Contact:

Flush with copious amounts of water for at least 15 minutes while holding eyelids open.

If symptoms persist, seek medical attention.

Wash immediately with soap and water for at least 15 minutes. If symptoms persist, Skin Contact:

seek medical attention.

Seek medical attention. Do not induce vomiting. Rinse mouth and drink plenty of water. Ingestion: Remove subject to fresh air. If symptoms persist, seek medical attention. Inhalation:

No information available. Most important symptoms and

effects, both acute and delayed:

Indication of any immediate medical care and special treatment needed:

No information available.

5: FIRE FIGHTING MEASURES

Extinguishing Media:

Suitable Extinguishing Media:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Foam, carbon dioxide, dry chemical, water spray.

Unsuitable Extinguishing Media:

No information available.

Specific Hazards Developing from

Chemical or Mixture:

When exposed to fire, produces normal products of combustion (e.g. carbon dioxide,

carbon monoxide, other toxic vapors).

Special Protective Equipment and

Precautions for Firefighters:

Wear self-contained breathing apparatus and protective suit. Normal fire fighting procedures may be used.

6: ACCIDENTAL RELEASE MEASURES

Ensure adequate ventilation. Avoid contact with the skin and eyes by wearing Personal Precautions:

recommended personal protective equipment. Wash thoroughly after handling.

Contains ammonium hydroxide. Do not let spilled or leaking material enter **Emergency Procedures:**

watercourse. Notify appropriate authorities if entry occurs.

Methods and Materials for

Containment:

Contain spills immediately with spill socks and inert materials (e.g. sand, sawdust,

vermiculite).

Absorb with inert materials (e.g. sand, sawdust, vermiculite). Sweep or scrape up. Cleanup Procedures:

Place in a container for disposal. Rinse affected area(s) thoroughly with water.



Nicoat®



7: HANDLING AND STORAGE

Handling:

Avoid contact with the skin and eyes by wearing recommended personal protective equipment. Ensure adequate ventilation. Avoid breathing vapors, mist or dust. Do not eat, drink or smoke in the work area. Mix well before using. Wash thoroughly after handling.

Storage:

Keep container tightly closed and store in a cool, dry, well ventilated place. Keep from

freezing.

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Controls

Component

Butoxytriglycol

Dipropylene Glycol Methyl Ether (Glycol Ether DPM)

Ammonium Hydroxide

Triethylamine

ACGIH TLV

: Not Established

: 100 ppm

: 25 ppm

: 1 ppm

OSHA PEL

Not Established

100 ppm 50 ppm

25 ppm

Personal Protection





Engineering Controls:

Ensure adequate ventilation, especially in confined areas

Respiratory Protection:

No protective equipment is needed under normal conditions of use. If exposure limits are exceeded or irritation is experienced, additional ventilation may be required.

Goggles are recommended.

Skin and Body Protection:

Hygiene Practices:

Eye Protection:

Wear chemical resistant gloves/protective clothing.

When using, do not eat, drink, or smoke. Use good personal hygiene practices.

Remove and wash contaminated clothing before re-use. No special requirements under normal conditions of use.

Special Requirements:

9: PHYSICAL AND CHEMICAL PROPERTIES

Odor Threshold:

Not Determined

8.6 - 9.4

Not Determined

Melting Point: Freezing Point:

Not Determined

Boiling Point/Range:

Flashpoint:

pH:

Above 200 deg.F

Evaporation Rate:

Not Determined Not Determined

Flammability:

Not Determined

Flammability - Upper:

Not Determined

Flammability - Lower:

Not Determined

Vapor Pressure (mmHG): Vapor Pressure (AIR=1):

Not Determined Not Determined

Vapor Density:

Not Determined

Appearance and Odor:

Milky liquid with mild odor.

Density (lb/gal):

Relative Density:

Solubility in Water:

8.67 1.04 Complete.

Partition Coefficient:

Not Determined

Auto-ignition temp:

Not Determined

Decomposition Temp:

Not Determined

Viscosity:

See Technical Data Sheet

Solvent by Weight (%):

1.68

Product VOC (Ib/gal) (via

0.15

Method 24):

e-mail: regulatory@icpindustrial.com

ICPindustrial.com

1 miles

Tel. 01-630 860-7070



Nicoat[®]



10: STABILITY AND REACTIVITY

Reactivity:

No information available.

Chemical Stability:

Stable

Hazardous Polymerization:

Will not occur under suggested/recommended storage conditions.

Conditions to Avoid:

None known.

Materials to Avoid:

None known.

Hazardous Decomposition Products:

When exposed to fire, produces normal products of combustion (e.g. carbon dioxide,

carbon monoxide, other toxic vapors).

11: TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:

No information available.

Effects:

No information available.

Toxicity:

No information available.

Symptoms: Carcinogenicity: No information available. No information available.

12: ECOLOGICAL INFORMATION

Ecotoxicity Effects:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Persistence and Degradability:

No information available No information available

Bioaccumulative Potential:

No information available

Mobility:

13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Containers:

Salvage drum, poly-lined drum or equivalent.

Waste Disposal Methods:

Dispose of in accordance with all applicable federal, state and local regulations

regarding the disposal of non-hazardous materials.

Properties Affecting Disposal:

Do not discharge into drains/sewers. Treat as industrial waste.

Special Precautions:

Do not allow material to enter watercourse.

14: TRANSPORTATION INFORMATION

ROAD/RAIL TRANSPORT

USDOT

Not classified as a dangerous good under transport regulations.

SEA TRANSPORT

IMDO

Not classified as a dangerous good under transport regulations.

AIR TRANSPORT

IATA/ICAO

Not classified as a dangerous good under transport regulations.

15: REGULATORY INFORMATION

FEDERAL REGULATIONS

SARA 313

Component	CAS Number	WT %
Dipropylene Glycol Methyl Ether (Glycol Ether DPM)	34590-94-8	0.5 - 1.0
Triethylamine	121-44-8	0.2 - 0.5
Diethylene Glycol n-Butyl Ether (Glycol Ether DB)	112-34-5	<=0.05
Ammonium Hydroxide	1336-21-6	<=0.1
2-Propanol (Isopropyl Alcohol, Anhydrous)	67-63-0	<=0.05
Ethyl Acrylate	140-88-5	<=0.05




Nicoat*



TSCA (USA TOXIC SUBSTANCE CONTROL ACT)

Components listed



STATE REGULATIONS

This product complies with the US Coalition of Northeast Governors (CONEG). The sum of the heavy metals Lead, Cadmium, Mercury and Hexavalent Chromium is less than 100 ppm.

GLOBAL REGULATIONS:

CHEMICAL INVENTORY STATUS

AICS (Australia): Status not determined DSL (Canada): Status not determined

ECL (Korea): Status not determined EINECS (Europe): Status not determined

ENCS (Japan): Status not determined IECSC (China): Status not determined

NZIOC (New Zealand): Status not determined Status not determined

TSCA (USA): Components listed

16: OTHER INFORMATION

R-Phrase(s)

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

This material and its container must be disposed of in a safe way

Refer to manufacturer/supplier for information on recovery/recycling

Avoid release to the environment. Refer to special instructions/safety data sheet

进"

WBC5048-1 SOFT FEEL COATING

Page 6 of 6



Nicoat*

SDS STANDARD:

This SDS - Safety Data Sheet / Formerly MSDS or Material Safety Data Sheet is prepared as outlined by US-OSHA's Hazard Communication Standard (29 CFR 1910.1200 (g) and Appendix D of 29 CFR 1910.1200) and may change as full implementation of the Global Harmonized System (GHS) is not required until June 1,

ABBREVIATIONS and ACRONYMS:

ACGIH - American Conference of Industrial Hygienists

CAS - Chemical Abstracts Service

CERCLA - Comprehensive Environmental Response, Compensation and Liability Act

DOT - Department of Transportation

GHS - Globally Harmonized System of Classification and Labeling of Chemicals

HMIS - Hazardous Materials Information Identification System

IATA - International Air Transport Association

ICAO - International Civil Aviation Organization

IMDG - International Maritime Code for Dangerous Goods NFPA - National Fire Protection Association

NIOSH - National Institute for Occupational Safety and Health

OEL - Occupational Exposure Limit

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limit

PPE - Personal Protective Equipment

RTK - Right to Know

TLV - Threshold Limit Value

TWA - Time-weighted Average

WHMIS - Workplace Hazardous Materials Information System

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate, but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.

END OF SAFETY DATA SHEET

Revision Date: 4-Apr-2018